

## ECG Electrode Samples



**PT2030**  
Resting/ Diagnostic



**PT2335**  
Resting/ Diagnostic



**PT2837**  
Resting/ Diagnostic



**T716**  
Foam/ General Use



**T718**  
Foam/ Pediatric



**T916**  
Clear Tape/ General



**T815**  
Cloth/ Holter & Stress



**T816**  
Cloth/ Pediatric



**T716C**  
Foam/  
Radiotranslucent

## PROTAB

PT2030

PT2335 : Disposable TAB Type for Resting EKG'S

PT2837

### Features & Benefits

- Primarily designed for use in resting EKG Diagnosis.
- Fast application and removal on patient's skin.
- Ag/AgCl & Solid Adhesive Gel provide stable, reliable EKG signals due to a high tack gel and a highly conductive Ag/AgCl coating.
- Superior gel adhesion continuously maintains PROTAB for various ECG procedures and allows for repositioning on different skin type.
- Not to be used in conjunction with defibrillators.
- Well packaged to give the end-user convenience.

### Ordering Information

Part No.	Quantities per			
	CARD	POUCH	BOX	CASE
PT2030	10	100	500	5000
PT2335	10	100	500	5000
PT2837	10	100	500	5000

☞ Minimum Order is 1 Case (5,000 pcs)



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

**TELECTRODE****Foam/Oval Type****T716 : Disposable General Use for Adult****Features & Benefits**

- Primarily designed for use in Emergency, ICU/CCU, Surgery, EMS. (General Use)
- Medical Grade Impenetrable White Polyethylene Foam protects the skin under the electrode from surgical fluids/air, thus providing safe electrical signal passage.
- Ag/AgCl sensing system provide stable, reliable ECG signals.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

**Ordering Information**

Part No.	Quantities per		
	POUCH	BOX	CASE
<b>T716-3</b>	3	60	600
<b>T716-5</b>	5	100	1000
<b>T716-30</b>	30	600	6000
<b>T716-50</b>	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

**TELECTRODE****Foam/Oval Type****T716C : Disposable Radio Translucent Use for Adult****Features & Benefits**

- Primarily designed for use in X-ray units, MRI, Cath Labs.
- Medical Grade Impenetrable White Polyethylene Foam protects the skin under the electrode from surgical fluids/air, thus providing safe electrical signal passage.
- Unique carbon-based silver chloride sensor allows for an unimpeded view on X-ray & MRI scans while the patient is being monitored.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

**Ordering Information**

Part No.	Quantities per		
	POUCH	BOX	CASE
<b>T716C-3</b>	3	60	600
<b>T716C-5</b>	5	100	1000
<b>T716C-30</b>	30	600	6000
<b>T716C-50</b>	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

**TELECTRODE****Foam/Oval Type****T718 : Disposable General Use for Pediatric****Features & Benefits**

- Primarily designed for use in Emergency, ICU/CCU, Surgery, EMS. (General Use)
- Medical Grade Impenetrable White Polyethylene Foam protects the skin under the electrode from surgical fluids/air, thus providing safe electrical signal passage.
- Oval shape(32x36mm) permits electrodes to be placed closer together on small chested patients.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

**Ordering Information**

Part No.	Quantities per		
	POUCH	BOX	CASE
T718-3	3	60	600
T718-5	5	100	1000
T718-30	30	600	6000
T718-50	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

**TELECTRODE****Cloth/Round Type****T815 : Disposable Stress & Holter for Adult****Features & Benefits**

- Primarily designed for use in Emergency, Holter, Stress, ICU/CCU, Diagnostic.
- Non-woven breathable cloth conforms to body contours. Porous material helps prevent excessive moisture buildup and provides long-term adhesion.
- Ag/AgCl sensing system provide stable, reliable ECG signals.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

**Ordering Information**

Part No.	Quantities per		
	POUCH	BOX	CASE
<b>T815-3</b>	3	60	600
<b>T815-5</b>	5	100	1000
<b>T815-30</b>	30	600	6000
<b>T815-50</b>	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

**TELECTRODE****Cloth/Oval Type****T816 : Disposable Stress & Holter for Pediatric****Features & Benefits**

- Especially designed for use in Emergency, Holter, Stress, ICU/CCU, Diagnostic.
- Non-woven breathable cloth conforms to body contours. Porous material helps prevent excessive moisture buildup and provides long term adhesion.
- Ag/AgCl sensing system provide stable, reliable ECG signals.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

**Ordering Information**

<b>Part No.</b>	<b>Quantities per</b>		
	<b>POUCH</b>	<b>BOX</b>	<b>CASE</b>
<b>T816-3</b>	3	60	600
<b>T816-5</b>	5	100	1000
<b>T816-30</b>	30	600	6000
<b>T816-50</b>	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.

## **TELECTRODE                      Clear Tape/Oval Type**

### **T916 : Disposable General Use for Adult/Pediatric**

### **Features & Benefits**

- Primarily designed for use in Holter, Stress, ICU/CCU, Surgery, EMS.
- Thin, Flexible Clear Tape promotes patient comfort.
- Ag/AgCl sensing system provide stable, reliable ECG signals.
- Aggressive high tack medical grade adhesive.
- Complies with all AAMI Specifications.
- Well packaged for the end-user utility.

### **Ordering Information**

<b>Part No.</b>	<b>Quantities per</b>		
	<b>POUCH</b>	<b>BOX</b>	<b>CASE</b>
<b>T916-3</b>	3	60	600
<b>T916-5</b>	5	100	1000
<b>T916-30</b>	30	600	6000
<b>T916-50</b>	50	1000	10000



The Quality Management System of BIO PROTECH INC. is certified by DNV KOREA certification body according to NS-EN ISO9001, ISO13485.





## Sales and Returns System

Effective January 1, 2003

BIO PROTECH INC. guarantees our products under sales and return system as below;

### Sales Terms

Terms : Net 45 Days

Freight Condition : Ex-warehouse in LA(USA market only)

Shipped CRF;FOB;BIO PROTECH Factory

Minimum Order : One Case.

Orders for broken or partial cases can not be accepted.

### Return Goods Policy

No return will be accepted without prior authorization from BIO PROTECH. No credit will be allowed on unauthorized returns. Unauthorized additions to an authorized return that deviates from the original authorization will also receive no credit.

When requesting a return, the original purchase order number or invoice number is required.

### Return Goods Allowance Procedure

- |   |             |
|---|-------------|
| • Product shipped in error by BIO PROTECH   | Full Credit |
| • Product damaged at the time it was received, said damage or defect being attributed to the manufacturing process only | Full Credit |



**BIO PROTECH APPLICATION CHART**

APPLICATION	MATERIAL / PART NUMBER			
	Conductive Adhesive	White Cloth	Foam	Clear Vinyl Tape
Resting EKG	PT2030 PT2335 PT2837		T716 T718	
Short-Term Monitoring • Ambulance • EMT • Out Patient • Surgery • Cardiac Rehab		T815 T816	T716 T718	T916
Long-Term Monitoring • Holter • Stress • Surgery • ICU/CCU		T815 T816	T716 T718	T916
X-Ray Translucent • Nuclear Medicine • Thallium Testing • X-Ray Units • MRI • Cath Labs		T716C		
Apnea Monitoring			T716 T718	
Echo/Phono Cardiogram			T716 T718	

## ECG Electrode Cross Reference

<u>Competitor</u>	<u>Page</u>
NIKOMED -----	1
CON MED (AMI) -----	1
LMI (Kendall-LTP) -----	2
BIO DETEK -----	2
3M -----	3
VERMED -----	3

👁 When using Cross Reference also check listings in parenthesis.

## Comprehensive Cross Reference : Nikomed / Con Med

BIO PROTECH		Quantity			Usage	NIKOMED	CON MED
Part Number	Material	Per Pouch	Per Box	Per Case	Application		
PT2030	Conductive Adhesive	100	500	5000	Resting EKG	AT100	1915-100 1925-100
PT2335							
PT2837							
T716-3	Foam, Oval (Adult)	3	60	600	General Use	-	1800-003
T716-5		5	100	1000		-	1800-005
T716-30		30	600	6000		405	1800-030
T716-50		50	1000	10000		-	-
T718-3	Foam, Oval (Pediatric)	3	60	600	General Use	-	1520-003
T718-5		5	100	1000		-	-
T718-30		30	600	6000		457	1520-025
T718-50		50	1000	10000		-	-
T815-3	Cloth, Round (Adult)	3	60	600	Stress & Holter	-	01-3830
T815-5		5	100	1000		-	-
T815-30		30	600	6000		444	01-3820
T815-50		50	1000	10000		-	-
T816-3	Cloth, Oval (Pediatric)	3	60	600	Stress & Holter	-	2330-003
T816-5		5	100	1000		-	-
T816-30		30	600	6000		-	-
T816-50		50	1000	10000		-	-
T716C-3	Foam, Carbon (Adult & Pediatric)	3	60	600	Radio Translucent	-	01-3830
T716C-5		5	100	1000		-	-
T716C-30		30	600	6000		411	01-3820
T716C-50		50	1000	10000		-	-
T916-3	Clear Tape (Pediatric)	3	60	600	General Use	-	1720-003
T916-5		5	100	1000		-	-
T916-30		30	600	6000		-	-
T916-50		50	1000	10000		-	-

## Comprehensive Cross Reference : LMI / Bio-Detek

BIO PROTECH		Quantity			Usage	LMI (KENDALL-LTP)	BIO-DETEK
Part Number	Material	Per Pouch	Per Box	Per Case	Application		
PT2030	Conductive Adhesive	100	500	5000	Resting EKG	810	DE1070
PT2335							
PT2837							
T716-3	Foam, Oval (Adult)	3	60	600	General Use	103	ME403
T716-5		5	100	1000		-	-
T716-30		30	600	6000		130	ME430
T716-50		50	1000	10000		-	-
T718-3	Foam, Oval (Pediatric)	3	60	600	General Use	403	LT403P
T718-5		5	100	1000		-	-
T718-30		30	600	6000		430	LT430P
T718-50		50	1000	10000		450	LT450P
T815-3	Cloth, Round (Adult)	3	60	600	Stress & Holter	-	ME303
T815-5		5	100	1000		305	-
T815-30		30	600	6000		-	ME330
T815-50		50	1000	10000		-	-
T816-3	Cloth, Oval (Pediatric)	3	60	600	Stress & Holter	-	LT303P
T816-5		5	100	1000		-	-
T816-30		30	600	6000		-	LT330P
T816-50		50	1000	10000		-	-
T716C-3	Foam, Carbon (Adult & Pediatric)	3	60	600	Radio Translucent	-	RT403
T716C-5		5	100	1000		-	-
T716C-30		30	600	6000		1950	RT430
T716C-50		50	1000	10000		-	RT450
T916-3	Clear Tape (Pediatric)	3	60	600	General Use	1103P	ME203P
T916-5		5	100	1000		-	-
T916-30		30	600	6000		1130P	ME230P
T916-50		50	1000	10000		-	-

## Comprehensive Cross Reference : 3M / Vermed

BIO PROTECH		Quantity			Usage	3M	VERMED
Part Number	Material	Per Pouch	Per Box	Per Case	Application		
PT2030	Conductive Adhesive	100	500	5000	Resting EKG	2322	A10014
PT2335							
PT2837							
T716-3	Foam, Oval (Adult)	3	60	600	General Use	2237T	A10006-3
T716-5		5	100	1000		-	A10006-5
T716-30		30	600	6000		2237	A10006-36
T716-50		50	1000	10000		2237	-
T718-3	Foam, Oval (Pediatric)	3	60	600	General Use	2257T	-
T718-5		5	100	1000		-	-
T718-30		30	600	6000		2270	-
T718-50		50	1000	10000		2237	A10005-50
T815-3	Cloth, Round (Adult)	3	60	600	Stress & Holter	2338T	A10007-3
T815-5		5	100	1000		-	-
T815-30		30	600	6000		2238	A10007-36
T815-50		50	1000	10000		2238	A10007-50
T816-3	Cloth, Oval (Pediatric)	3	60	600	Stress & Holter	2271-3	-
T816-5		5	100	1000		-	-
T816-30		30	600	6000		2231	-
T816-50		50	1000	10000		2231	-
T716C-3	Foam, Carbon (Adult & Pediatric)	3	60	600	Radio Translucent	-	-
T716C-5		5	100	1000		-	-
T716C-30		30	600	6000		-	-
T716C-50		50	1000	10000		-	A10004-50
T916-3	Clear Tape (Pediatric)	3	60	600	General Use	-	A10001-SG
T916-5		5	100	1000		-	-
T916-30		30	600	6000		-	A10000-36SG
T916-50		50	1000	10000		-	-